

THE MODERN STRETCH TENT

DESIGN
EVOLVE
CREATE

AmbiStretch



Ambisphere BV



+32 (0) 16/41.40.68



verkoop@ambisphere.be




-WE MANUFACTURE

-STANDARD:
4.5x5m
4.5x6m
7.5x10m
10.5x10.5m
10x12m
10x15m
20x15m

Fabric Width 1.5m

-CUSTOM



FABRIC

FLEX 780 FR

- Waterproof
- UV
- Anti Microbial
- FR

Properties	Units	Specifications
Total weight (fabric only)	GSM	770+-5%
Fabric Width	Cm	150
water penetration ISO 811 1981	mm	8000
Tensile Strength (n/5cm) WARP	Newtons	1300
Tensile Strength (n/5cm) WEFT	Newtons	710
Breaking Extension WARP	%	130
Breaking Extension WEFT	%	200
Tear Strength WARP	Newtons	240
Tear Strength WEFT	Newtons	180
Average Peel Bond N/5cm WARP	Newtons	25
Average Peel Bond N/5cm WEFT	Newtons	25
Anti-fungal DIN53931		PASS
Colour Fastness to light Blue wool		^6
Flammability BS 7837 (BS 54382B)	BS7837	PASS
Flammability M2	M2	PASS



PRODUCTION



- > A durable stretch tent suitable for the rental market as well as semi permanent structures
- > Our latest Hybrid seaming technology allows for the strongest bonded panels on the market
- > All structural elements are welded and stitched for unrivalled strength and durability
- > 4 Main corner points are triple reinforced